




Side bow chain 63-1 Straight inner side plates - ELITE

Part no.: I89b6516299c7 Packaging Unit: 5m

Brand: ELITE

Model: Straight inner side plates





Technical data

ROLLER CHAIN	63
Pitch p (mm)	19,05
Width between inner plates b1 min. (mm)	12,57
Roller diameter d1 max. (mm)	11,91

www.iwis.com 1

Product data



Pin diameter d2 max. (mm)	5,08
Pin length b4 max. (mm)	28,8
Max. add. length of connecting link b7 max. (mm)	2,1
Plate thickness Ti/To (mm)	2,4
Height inner plate h2 max. (mm) (JWIS: g)	18,1
Min. tensile strength ISO/DIN FU (kN)	24
Weight per meter (kg)	1,54
Bearing surface f (cm²)	2,11
Side bow radius R min. (mm)	350

Product Information

Side bow chains are generally used as conveyor or drag chains in applications which require a curved track. The chains run around a variety of curves with different radii. A reduced pin diameter enables these chains to negotiate bends, but conical pins or biconical bushes are also possible.

ELITE roller chains have a high wear resistance and significantly higher fatigue strength than the standard requires. The right choice for industrial applications: robust and reliable. All ELITE transmission roller chains are highly pre-tensioned and treated with our special additive chain oil eliDUR+, a high-tech initial lubricant. Non-drip eliDUR+ offers not only the added advantage of improved running characteristics, but also provides better corrosion protection. Version with straight inner plates.

Highlights:

- · Production on the basis of ISO 606
- Compatible with standard sprockets
- · Available with special lubrication, special coatings, or in stainless steel versions on request
- As the usual applications for these chains allow initial lubrication with low-viscosity oil, only a light film of oil remains on the surface
- ELITE side bow chains can be used as basic chains for our FLEXON flat top chain range

Applications

- · Warehouse technology, materials-handling industry
- Conveyor technology
- · Electronics industry and PCB manufacture
- · Feeding and automation technology
- · Textile and clothing industry

www.iwis.com 2



REQUEST DIRECTLY ONLINE NOW

https://www.iwis.com/en-en/products-services/side-bow-chain-63-1-straight-inner-side-plates-elite~p3909

Useful information

CALCULATION PROGRAM

InduKet: the Chain Drive Calculation Program for Engineers.

iwis.com/chaincalc

CHAIN CALCULATION

The right drive solution for your challenge.

chaindrive@iwis.com

SERVICES

ChainFinder, CAD data, iwis Chain Handbook and more.

iwis.com/services

www.iwis.com 3