




Roller chain 40-1, zinc-plated - ELITE

Part no.: I3f1616f87b3e

Packaging Unit: 5m

Brand: ELITE

Surface: zinc-plated



Technical data

ROLLER CHAIN	40
Pitch p (mm)	12,7
Width between inner plates b_1 min. (mm)	7,85
Roller diameter d_1 max. (mm)	7,92

Pin diameter d2 max. (mm)	3,98
Pin length b4 max. (mm)	17,8
Max. add. length of connecting link b7 max. (mm)	3,9
Plate thickness Ti/To (mm)	1,50/1,50
Height inner plate h2 max. (mm) (JWIS: g)	12.07
Min. tensile strength ISO/DIN FU (kN)	12
Avg. tensile strength FB (kN)	14,8
Weight per meter (kg)	0,62
Bearing surface f (cm ²)	0,43

Product Information

Zinc-plated chains are used primarily in outdoor applications where there is no protection against adverse weather conditions. Zinc protects the chain against rusting in two different ways. Firstly, the zinc forms an unbroken layer around chain components to prevent water, salt and oxygen from coming into direct contact with the steel link plate; secondly, zinc acts as a “sacrificial anode” in the event of damage to the chain and protects important load-bearing components against corrosion.

Product highlights

- The dimensions of all zinc-plated and nickel-plated ELITE-chains comply with the requirements of ISO 606 and the chains are interchangeable with standard chains
- Zinc-plated and nickel-plated chains are prestretched to 30 % of breaking load
- All chain plates are tapered and zinc or nickel plated
- Chains are fitted with seamless rollers; zinc or nickel plating available
- Pins offer a high level of corrosion protection and wear resistance
- The load capacity of zinc- or nickel-plated ELITE chains is similar to that of comparable standard chains
- Both chain types are generally supplied lightly oiled

Applications

- Packaging industry
- Solar and energy technology
- Wood processing industry
- Environmental technology, Recycling



REQUEST DIRECTLY ONLINE NOW

<https://www.iwis.com/en-en/products-services/roller-chain-40-1-zinc-plated-elite~p3952>

Useful information



CALCULATION PROGRAM

InduKet: the Chain Drive
Calculation Program for
Engineers.

[iwis.com/chaincalc](https://www.iwis.com/chaincalc)



CHAIN CALCULATION

The right drive solution for your
challenge.

chaindrive@iwis.com



SERVICES

ChainFinder, CAD data, iwis
Chain Handbook and more.

[iwis.com/services](https://www.iwis.com/services)