




## Roller chain 140-3 - JWIS

Part no.: I10c0d7496a75

Brand: JWIS



**Produktbild folgt in Kürze**

### Technical data

| ROLLER CHAIN                            | 140   |
|---|-------|
| Pitch p (mm)                            | 44,45 |
| Width between inner plates b1 min. (mm) | 25,4  |
| Roller diameter d1 max. (mm)            | 25,4  |

|   |         |
|---|---------|
| Pin diameter d2 max. (mm)                 | 12,71   |
| Total width inner link b2 max. (mm)       | 37,18   |
| Outer link pin rivet a1 max. (mm)         | 152,24  |
| Outer link key groove a max. (mm)         | 157,24  |
| Height inner plate h2 max. (mm) (JWIS: g) | 42,22   |
| Min. tensile strength ISO/DIN FU (kN)     | 510     |
| Avg. tensile strength FB (kN)             | 617,819 |
| Weight per meter (kg)                     | 21,93   |
| Bearing surface f (cm <sup>2</sup> )      | 14,19   |
| Traverse pitch pt (mm) (JWIS: e)          | 48,87   |

## Product Information

JWIS Roller chains are characterised by an above-average service life due to excellent wear resistance, high consistency, matchless precision and a considerably higher breaking strength and fatigue strength than required by ISO standard. All iwis chains are pre-stretched and are provided with a highly efficient initial lubrication.

### Highlights:

- Only high-quality heat-treated and case-hardened steel is used with stringent specifications for materials analysis, tolerances and surface quality
- Each chain part is manufactured a million times daily to the same precision and is monitored using SPC (statistical process control)
- All chain parts are heat-treated, in some cases using special processes to optimize quality characteristics
- Modern production technologies ensure consistent geometry and superior surface quality
- Chains are checked for dimensional accuracy, length tolerance and flexibility, plus for the press fit joins on pins, outer plates and bush, and inner plate
- Our high quality assurance standards comply with the requirements of ISO 9001:2006
- For special applications: surface coatings, special lubricants, special materials (e.g. corrosion-resistant)

## Applications

- Warehouse technology, materials-handling industry
- Conveyor technology
- Assembly and industrial handling systems
- Wood processing industry
- Mechanical engineering and systems construction
- Glass, ceramic and building material industry
- Environmental technology, Recycling



### REQUEST DIRECTLY ONLINE NOW

<https://www.iwis.com/en-en/products-services/roller-chain-140-3-jwis~p4801>

## Useful information



### CALCULATION PROGRAM

InduKet: the Chain Drive  
Calculation Program for  
Engineers.

[iwis.com/chaincalc](https://www.iwis.com/chaincalc)



### CHAIN CALCULATION

The right drive solution for your  
challenge.

[chaindrive@iwis.com](mailto:chaindrive@iwis.com)



### SERVICES

ChainFinder, CAD data, iwis  
Chain Handbook and more.

[iwis.com/services](https://www.iwis.com/services)