




# Roller chain 16B-1 CF, Stainless steel - JWIS

Part no.: 40008157 Packaging Unit: 5,029m

Brand: JWIS Model: CF Surface: Stainless steel





# Produktbild folgt in Kürze

# Technical data

| ROLLER CHAIN                            | 16B   |
|---|-------|
| Pitch p (mm)                            | 25,4  |
| Width between inner plates b1 min. (mm) | 17,02 |
| Roller diameter d1 max. (mm)            | 15,88 |

# Product data

| Pin diameter d2 max. (mm)                 | 8,28 |
|---|------|
| Outer link key groove a max. (mm)         | 41,5 |
| Height inner plate h2 max. (mm) (JWIS: g) | 21   |
| Min. tensile strength ISO/DIN FU (kN)     | 40   |

## **Product Information**

The new stainless steel CF chains, made of austenitic stainless steel, are extremely reliable, fatigue- and corrosionresistant, so they are ideal for use in applications involving food and other contamination-sensitive products. Top iwis quality with an outstanding price-performance ratio. Applications in aggressive environments, in environments involving the application of water or steam and strict cleaning regulations, in environments with extreme high temperatures.

Highlights:

- All plates have a higher proportion of smooth cut edges, assuring improved fatigue resistance, greater endurance and reduced elongation, which in turn mean longer service life and more stability
- All rollers are seamless, guaranteeing smooth running and extreme impact resistance at higher speeds
- Seamless bushes reduce initial wear elongation and guarantee a significantly higher positioning precision than conventional stainless steel roller chains in operation. This is a major advantage in filling, conveying and packaging applications.
- · Restricted length tolerances for even more accurate positioning
- Temperature range: -80 °C to +150 °C
- Various special lubricants available e.g. for high temperatures (up to max. 400 °C), low temperatures or food-grade lubricant with H1 approval
- Conveyor chains with customer-specific attachments can be configured and realised at short notice
- Load-elongation diagrams can be created

# Applications

- Food processing industry
- Packaging industry
- Solar and energy technology

#### **REQUEST DIRECTLY ONLINE NOW**

https://www.iwis.com/en-en/products-services/roller-chain-16b-1-cf-stainless-steel-jwis~p4859



### Useful information

#### **CALCULATION PROGRAM**

InduKet: the Chain Drive Calculation Program for Engineers.

iwis.com/chaincalc

#### **CHAIN CALCULATION**

The right drive solution for your challenge.

chaindrive@iwis.com

#### SERVICES

ChainFinder, CAD data, iwis Chain Handbook and more.

iwis.com/services