

Produktbild folgt in Kürze

Roller chain 10B-1 Transfer chain, maintenance-free - JWIS


Part no.: 50036409

Packaging Unit: 5,048m

Brand: JWIS

Model: Transfer chain

Surface: maintenance-free



Produktbild folgt in Kürze

Technical data

ROLLER CHAIN	10B
Pitch p (mm)	15,875
Roller diameter d1 max. (mm)	10,16

Product Information

Fully enclosed transfer chains (= TF) with wear-resistant, rugged snap-on plastic attachments prevent malfunctions caused by foreign bodies etc. The chain is particularly suitable for machine-processed parts, even items with sensitive surfaces.

Highlights:

- All-round protection of functional components of the chain: attachments enclose the chain on three sides, even in the vicinity of sprockets
- Base chain MEGAlife
- Gentle handling of delicate goods
- Close-fitting covers prevent the risk of injuries and malfunctions
- Outside of the chain is absolutely clean, so there is no accumulation of dust
- Drive chain always remains clean, even under adverse operating conditions
- Suitable for horizontal and vertical installation
- No lifting of the load in the vicinity of the sprockets

Applications

- Warehouse technology, materials-handling industry
- Food processing industry
- Packaging industry
- Mechanical engineering and systems construction
- Electronics industry and PCB manufacture
- Pharmaceutical industry, medical technology
- Glass, ceramic and building material industry
- Printing industry, paper manufacture



REQUEST DIRECTLY ONLINE NOW

<https://www.iwis.com/en-en/products-services/roller-chain-10b-1-transfer-chain-maintenance-free-jwis~p4876>

Useful information



CALCULATION PROGRAM

InduKet: the Chain Drive
Calculation Program for
Engineers.

[**iwis.com/chaincalc**](https://www.iwis.com/chaincalc)



CHAIN CALCULATION

The right drive solution for your
challenge.

[**chaindrive@iwis.com**](mailto:chaindrive@iwis.com)



SERVICES

ChainFinder, CAD data, iwis
Chain Handbook and more.

[**iwis.com/services**](https://www.iwis.com/services)