


## Accumulation chain 08B Side bow - JWIS

Part no.: Id88353f2d448

Brand: JWIS

Model: Side bow



## Technical data

ACCUMULATION CHAIN	08B
Pitch p (mm)	12,7
Width between inner plates b1 min. (mm)	15
Roller diameter d1 max. (mm)	1,1

Pin length b4 max. (mm)	27
Width over outer plates b5 max. (mm) (JWIS: b4)	16
Conveyer roller diameter d5 (mm) (JWIS: D)	8
Width over conveyer roller b8 (mm) (JWIS: b)	9,2
Traverse pitch pt (mm) (JWIS: e)	18,7

## Product Information

Side Bow Accumulation Chains are ideal for conveyor systems with extremely small curve radii. iwis Side bow accumulation chain with offset rollers: The modular solution for direction changes in conveyor systems with extremely tight bend radii (> 350 mm). Optimum load distribution as transported material lies flat on links 2 even in bends, thus reducing chain wear.

## Applications

- Warehouse technology, materials-handling industry
- Electronics industry and PCB manufacture
- Conveyor technology
- Packaging industry
- Food processing industry
- Glass, ceramic and building material industry
- Pharmaceutical industry, medical technology



**REQUEST DIRECTLY ONLINE NOW**

<https://www.iwis.com/en-en/products-services/accumulation-chain-08b-side-bow-jwis~p4942>

## Useful information



### **CALCULATION PROGRAM**

InduKet: the Chain Drive  
Calculation Program for  
Engineers.

[\*\*iwis.com/chaincalc\*\*](https://www.iwis.com/chaincalc)



### **CHAIN CALCULATION**

The right drive solution for your  
challenge.

[\*\*chaindrive@iwis.com\*\*](mailto:chaindrive@iwis.com)



### **SERVICES**

ChainFinder, CAD data, iwis  
Chain Handbook and more.

[\*\*iwis.com/services\*\*](https://www.iwis.com/services)