




# Flat Top Chain 881 Series 881O, Stainless steel - FLEXON

Part no.: 81014113 Packaging Unit: 3,048m

Brand: FLEXON Model: Series 8810 Surface: Stainless steel





# Technical data

FLAT TOP CHAIN	881
Pin diameter d2 max. (mm)	6,35
Weight per meter (kg)	3,6
Chain material	Mega

## Product data

Pin material	Stainless steel hardened
Plate thickness (mm)	3,1
Back flex radius (mm)	80
Width L (mm)	114,3
Average yield load (N)	8
Minimum Curve radius R (mm)	500

## **Product Information**

FLEXON Steel and Stainless Steel Flat Top Chains are produced in straight running and side flexing versions and the range is covered by a broad selection of raw materials and chain link profiles to provide solutions for all conveying applications. These Flat Top Chains are characterised by high working loads, highly-resistent to wear and extremely flat and smooth conveying surfaces. The chains can be used in many applications and are not just confined to the Beverage Industry.

Highlights:

- · High performance stainless steel for high speed and high load applications
- Very high working load
- High corrosion and wear resistance
- · Very high surface hardness through cold work hardening
- Highest surface quality
- Applicable for magnet chains
- Working temperatures from -40°C till +260°C (-40°F till +500°F)
- 27 HRC

### Applications

- Feeding and automation technology
- Food processing industry
- Automotive industry
- Steelmaking industry

#### **REQUEST DIRECTLY ONLINE NOW**

https://www.iwis.com/en-en/products-services/flat-top-chain-881-series-881o-stainless-steel-flexon~p7132



### Useful information

#### **CALCULATION PROGRAM**

InduKet: the Chain Drive Calculation Program for Engineers.

iwis.com/chaincalc

#### **CHAIN CALCULATION**

The right drive solution for your challenge.

chaindrive@iwis.com

#### SERVICES

ChainFinder, CAD data, iwis Chain Handbook and more.

iwis.com/services