




Flat Top Chain 881 Series 8810 M, Stainless steel - FLEXON

Part no.: 81014085 Packaging Unit: 3,048m

Brand: FLEXON Model: Series 8810 M Surface: Stainless steel





Technical data

FLAT TOP CHAIN	881
Pin diameter d2 max. (mm)	6,35
Weight per meter (kg)	5,1
Chain material	Standard

www.iwis.com 1

Product data



Pin material	Stainless steel hardened
Plate thickness (mm)	3,1
Back flex radius (mm)	80
Width L (mm)	190,5
Average yield load (N)	5,4
Minimum Curve radius R (mm)	500

Product Information

FLEXON Steel and Stainless Steel Flat Top Chains are produced in straight running and side flexing versions and the range is covered by a broad selection of raw materials and chain link profiles to provide solutions for all conveying applications. These Flat Top Chains are characterised by high working loads, highly-resistent to wear and extremely flat and smooth conveying surfaces. The chains can be used in many applications and are not just confined to the Beverage Industry.

Highlights:

- Ferritic stainless steel with 17% Chrome
- AISI 430 / DIN 1.4016
- · Average Mechanical Strength and wear resistance
- · Economical option to Mega or Austenitic materials
- · Applicable for magnet chains
- Working temperatures from -40°C till +400°C (-40°F till +752°F)
- 17 HRC

Applications

- · Feeding and automation technology
- Food processing industry
- · Automotive industry
- Steelmaking industry

REQUEST DIRECTLY ONLINE NOW

https://www.iwis.com/en-en/products-services/flat-top-chain-881-series-881o-m-stainless-steel-flexon~p7140

www.iwis.com 2



Useful information

CALCULATION PROGRAM

InduKet: the Chain Drive Calculation Program for Engineers.

iwis.com/chaincalc

CHAIN CALCULATION

The right drive solution for your challenge.

chaindrive@iwis.com

SERVICES

ChainFinder, CAD data, iwis Chain Handbook and more.

iwis.com/services

www.iwis.com 3