

Plate Top Chain 1873 Series 1873, Stainless steel - FLEXON


Part no.: 34391

Packaging Unit: 3,048m



Brand: FLEXON

Model: Series 1873

Surface: Stainless steel



* 35 Kurve
 Curve
33,3 Gerade
 Straight



Technical data

| FLAT TOP CHAIN | 1873 |
|-----------------------|------|
| Weight per meter (kg) | 2,1 |
| Back flex radius (mm) | 305 |
| Width L (mm) | 82,5 |

| | |
|-----------------------------|---|
| Average breaking load (N) | 14,82 |
| Minimum Curve radius R (mm) | 356 |
| Snap on material | LF |
| Material base chain | coreshop.product.attribute.stainlesssteel |
| Pitch base chain (mm) | 19,05 |

Product Information

The FLEXON range of Plate Top chains are two piece assemblies of base roller chain, in steel or stainless steel, onto which a plastic plate is mounted. The combination of the two elements creates a chain with high breaking load provided by the ELITE base chain plus the benefit of a very flat top surface.

Top plates ready assembled on stainless steel base chain.

Highlights:

- ANSI 60 side bow base chain with extended pins
- Easy to change out the snapped on top plates

Applications

- Feeding and automation technology



REQUEST DIRECTLY ONLINE NOW

<https://www.iwis.com/en-en/products-services/plate-top-chain-1873-series-1873-stainless-steel-flexon~p7271>

Useful information



CALCULATION PROGRAM

InduKet: the Chain Drive
Calculation Program for
Engineers.

[**iwis.com/chaincalc**](https://www.iwis.com/chaincalc)



CHAIN CALCULATION

The right drive solution for your
challenge.

[**chaindrive@iwis.com**](mailto:chaindrive@iwis.com)



SERVICES

ChainFinder, CAD data, iwis
Chain Handbook and more.

[**iwis.com/services**](https://www.iwis.com/services)