


## Plate Top Chain 1874 Series 1874, hardened carbon steel - FLEXON

Part no.: 81037463  
Packaging Unit: 3,048m

Brand: FLEXON  
Model: Series 1874  
Surface: hardened carbon steel



## Technical data

FLAT TOP CHAIN	1874
Weight per meter (kg)	4,8
Back flex radius (mm)	254
Width L (mm)	114,3

Average breaking load (N)	27
Minimum Curve radius R (mm)	356
Snap on material	coreshop.product.attribute.stainlesssteel
Material base chain	C45
Pitch base chain (mm)	19,05

## Product Information

The FLEXON range of Plate Top chains are two piece assemblies of base roller chain, in steel or stainless steel, onto which a plastic plate is mounted. The combination of the two elements creates a chain with high breaking load provided by the ELITE base chain plus the benefit of a very flat top surface.

Stainless steel plates ready assembled on carbon steel base chain. Base chain has a straight inner link.

Highlights:

- ANSI 60 side bow base chain with extended pins
- Easy to change out the snapped on top plates

## Applications

- Feeding and automation technology
- Packaging industry

**REQUEST DIRECTLY ONLINE NOW**

<https://www.iwis.com/en-en/products-services/plate-top-chain-1874-series-1874-hardened-carbon-steel-flexon~p7288>

## Useful information



## **CALCULATION PROGRAM**

InduKet: the Chain Drive  
Calculation Program for  
Engineers.

[\*\*iwis.com/chaincalc\*\*](http://iwis.com/chaincalc)



## **CHAIN CALCULATION**

The right drive solution for your  
challenge.

[\*\*chaindrive@iwis.com\*\*](mailto:chaindrive@iwis.com)



## **SERVICES**

ChainFinder, CAD data, iwis  
Chain Handbook and more.

[\*\*iwis.com/services\*\*](http://iwis.com/services)