

Plate Top Chain 863 Series 863, Stainless steel - FLEXON


Part no.: l8a01c8aec7c8

Packaging Unit: 3,048m

Brand: FLEXON

Model: Series 863

Surface: Stainless steel



Technical data

FLAT TOP CHAIN	863
Weight per meter (kg)	2,23
Back flex radius (mm)	150
Width L (mm)	114,3

Average breaking load (N)	18,8
Snap on material	LF
Material base chain	coreshop.product.attribute.stainlesssteel
Pitch base chain (mm)	19,05

Product Information

The FLEXON range of Plate Top chains are two piece assemblies of base roller chain, in steel or stainless steel, onto which a plastic plate is mounted. The combination of the two elements creates a chain with high breaking load provided by the ELITE base chain plus the benefit of a very flat top surface.

Top plates ready assembled on stainless steel base chain.

Highlights:

- ANSI 60 base chain with extended pins
- Easy to change out the snapped on top plates

Applications

- Feeding and automation technology
- Food processing industry
- Automotive industry



REQUEST DIRECTLY ONLINE NOW

<https://www.iwis.com/en-en/products-services/plate-top-chain-863-series-863-stainless-steel-flexon~p7370>

Useful information



CALCULATION PROGRAM

InduKet: the Chain Drive
Calculation Program for
Engineers.

[**iwis.com/chaincalc**](https://www.iwis.com/chaincalc)



CHAIN CALCULATION

The right drive solution for your
challenge.

[**chaindrive@iwis.com**](mailto:chaindrive@iwis.com)



SERVICES

ChainFinder, CAD data, iwis
Chain Handbook and more.

[**iwis.com/services**](https://www.iwis.com/services)