




Flat Top Chain 8257 LBP 8257, Plastic - FLEXON

Part no.: Ifc9bc6cdc19b Packaging Unit: 1,524m

Brand: FLEXON Model: LBP 8257 Surface: Plastic





Technical data

FLAT TOP CHAIN	8257
Pin diameter d2 max. (mm)	8
Weight per meter (kg)	7,2
Chain material	LF

www.iwis.com

Product data



Pin material	Stainless steel
Plate thickness (mm)	4,8
Back flex radius (mm)	400
Width L (mm)	254
Average breaking load (N)	10

Product Information

FLEXON LBP chains are flat top chains fitted with a number of small rollers, allowing the gentle movement of particularly sensitive or fragile products on accumulation belts.

The high number of small rollers on the chain surface allow reduced rolling friction between the underside of the goods and the surface of the rollers. The goods on conventional flat top chains slide to an abrupt stop in the accumulation area. However, the sliding process subjects the load to much higher physical stress in the contact zone and a higher risk of damage to products with sensitive surfaces.

Highlights:

- · Consistently high breaking strength
- Very low backline pressure for optimum product accumulation
- · Extremely low noise level
- Wear-resistant roller material
- · Secure attachment of shafts prevents jumping and damage to the accumulation rollers

Characteristics:

- · High wear resistant roller and chain material
- Roller colour: Saphir blue
 Roller diameter: 9,1 mm
 Chain colour: Brown
- Constant high breaking load

Applications

- · Feeding and automation technology
- · Food processing industry

REQUEST DIRECTLY ONLINE NOW

https://www.iwis.com/en-en/products-services/flat-top-chain-8257-lbp-8257-plastic-flexon~p7387

2



Useful information

CALCULATION PROGRAM

InduKet: the Chain Drive Calculation Program for Engineers.

iwis.com/chaincalc

CHAIN CALCULATION

The right drive solution for your challenge.

chaindrive@iwis.com

SERVICES

ChainFinder, CAD data, iwis Chain Handbook and more.

iwis.com/services

www.iwis.com 3